IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

n r Application of:

CULP, et al.

erial No.:

10/004,988

Filing Date:

December 3, 2001

Group Art Unit:

2177

Examiner:

Kuen S. Lu

Title:

SYSTEM AND METHOD FOR REMOTE

MONITORING AND CONTROLLING OF

FACILITY ENERGY CONSUMPTION

MAIL STOP AF

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Dear Sir:

CERTIFICATE OF MAILING BY EXPRESS MAIL

I hereby certify that the attached Response Pursuant to 37 C.F.R. § 1.116 (12 pages); a Notification for Extension of Time Under 37 C.F.R. § 1.136 (1 page) for 3 months along with a check in the amount of \$285.00 to satisfy the Extension of Time Fee; a Petition to Revive Unintentionally Abandoned Application Under 37 C.F.R. §1.137(b) (2 pages) along with a check in the amount of \$750.00 to satisfy the Peition Fee under 37 C.F.R. §1.17(m), a Baker Botts L.L.P. acknowledgement return postcard (1 postcard); and this Certificate of Mailing is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on this 4th day of October, 2005, addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Willie Tiles
Willie Jiles

Express Mail Receipt No. EV 322272423 US

SNE24225EA3

Attorney Docket No.: 017575.0490 (TAMUS 1549)

1



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: CULP, et al.

Serial No.: 10/004,988

Filing Date: December 3, 2001

Group Art Unit: 2177
Confirmation No.: 9235

Examiner: Kuen S. Lu

Title: SYSTEM AND METHOD FOR REMOTE

MONITORING AND CONTROLLING OF FACILITY ENERGY CONSUMPTION

Mail Stop AF

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Dear Sir:

RESPONSE PURSUANT TO 37 C.F.R. § 1.116

In response to the Final Office Action mailed February 4, 2005 (the "Office Action"), Applicants respectfully request the Examiner to reconsider the rejection of the claims in view of the following Amendments thereto, and the comments as set forth below. Please amend the Application as follows.